COMMERCIAL NA LAND IN DHOLERA SIR



HIGH ACCESS CORIDOR ZONE | TP5C1



DP PLAN LOCATION



SANGASAR - TPSC1 HIGH ACCESS CORRIDOR ZONE

Final Plot Location



SANGASAR - 240 70 METER WIDE TP ROAD

Plot Area 7741.04 Sq.Yard



SANGASAR-TPSCI

High Access Corridor Zone


7741.04 SQ YARD

PLOT AREA
7741.04 SQ YARD

PLOT PRICE RS. 6000 Per SQ Yd

70 METER WIDE TP ROAD

PROPOSED MODEL




70 MT WIDE TP ROAD

LOCATION ADVANTAGE




2.5 KM RESIDENTIAL ZONE




OKM 70 METER WIDE TP ROAD



OKM INDUSTRIAL ZONE



2KM SPORTS ZONE



2KM CITY CENTER ZONE



3.5 KM SOLAR PARK ZONE



1.5 KM PUBLIC FACILITY ZONE



5KM 250 METER WIDE EXPRESS WAY


PROPOSED DEVELOPMENT

Multi-Storey Apartment
Cinema Hall/ Mall
Petrol/ CNG/ LPG Pump
Fire Station
Light Industrial Sheds
Commercial Centre
Bank
Utility Building
Infrastructure
Cafe/Restaurant/Canteen











Draft General Development Control Regulations (DGDCR)

Table 10-2: Development Control Regulations for the High Access Corridor

	10 2.000	CIOPINOTIC CONTIN	o. Aogulations	MAXIMUM		MINIMUM		
SR NO	MINIMUM ROAD ROW (METRES)	MIN. PLOT SIZE	MAXIMUM FAR	GROUND COVERAGE AS PERCENT OF PLOT AREA	MAXIMUM BUILDING HEIGHT*	SETBACKS (FRONT- REAR-BOTH SIDES)	PERMITTED USE PREMISES	CONDITIONAL USE SUBJECT TO SPECIAL PERMIT FROM DSIRDA
					HIGH ACCESS CORRIDOR			
		5000 sqm**	5 4 3	0-10%	150m	10m-8m-6m- 6m	Multi-storey apartment and clusters thereof; Serviced apartments; Dormitories/ Worker Housing; Dharamshala; Cinema Hall, Mall Petrol/CNG/LPG Pump, Auto Service Station, Light Industrial Workshop with area less than	The following uses and structures shall be permitted as ancillary uses to the main use of the building provided their name,
1	55m& above			Above 10-20%	126m	9m-7m-6m- 6 m		
				Above 20-30%	32m	8m-6m-6m- 6m	50sqm; Hospital Cand D, Budget and 3 Star Hotel, Junior, Senior and Professional Colleges; Multi-level Parking and all use premises given in the categories below	
2	25m& Below 55	1500 sqm	2.5	40%	20m	8m-6m-6m- 6m	Multi-storey apartment and clusters thereof; Serviced apartments; Dormitories/ Worker Housing; P Petrol/CNG/LPG Pump Dispensary, Maternity home/Nursing Home, Diagnostic/Radiology Centre/Blood Bank, Place of Worship larger than 1000sqm; Commercial Centre; Public Facility/ Infrastructure/Utility	

Dholera Special Investment Regional Development Authority, Gandhinagar

Draft General Development Control Regulations (DGDCR)

SR NO	MINIMUM ROAD ROW (METRES)	MIN. PLOT SIZE	MAXIMUM FAR	MAXIMUM GROUND COVERAGE AS PERCENT OF PLOT AREA	MAXIMUM BUILDING HEIGHT*	MINIMUM SETBACKS (FRONT- REAR-BOTH SIDES)	PERMITTED USE PREMISES	CONDITIONAL USE SUBJECT TO SPECIAL PERMIT FROM DSIRDA
					HIGH A	CCESS CORRIDO	R	
3	Below 25m	1500 sqm	2	40%	16m	8m-6m-6m- 6m	Buildings; Hostels for working professionals; Restaurants, Food Plazas and Food Streets Multi-storey apartment and clusters thereof; Serviced apartments; Dormitories/ Worker Housing; Neighbourhood Retail Shop; Place of Worship smaller than IO00sqm; Service and Repair Shops smaller than 2Ssqm; garden	separate means of access and a designated parking area for staff and visitors is provided and marked on the site plan submitted for approval. Devices for generation of non conventional energy, such as solar panels, wind power Servant quarters or lodging facilities for caretaker/security personnel DSIRDA can grant special permission in height, FAR, Ground Coverage for Special Buildings (Star Hotels, Hospitals etc.) which have special privileges (under various Government Policies issued time to time) (in reference to Township, Special Regulations for hospitals, Special Regulations for Hotels)

^{*} Height of the building must comply to the prevalent Fire Safety Norms, with permissions from DSIRDA

^{**} For Plot sizes of 5000 sqm and above - In case of a building with podium and tower, a ground coverage of maximum 40% will be allowed for a maximum height up to 8 m, including G or G+I whichever is less. The upper typical floors above podium will have a maximum plan area of 10%. The maximum FAR allowed in this case will be 5.